

SEEKÜHE - MANATEES

Maija Gadiant - Heberlein

Altersforum Bassersdorf – 5. Juni 2015

Wir stellen uns vor





FLORIDA
JUN

FLORIDA

06-02
FL
VEHICLE
HFS04

HUF 504



Save the Manatee




Image © 2008 TerraMetrics
© 2008 Europa Technologies
© 2008 Tele Atlas
Image NASA

Google

26°39'08.28" N 81°58'26.89" W

Sichthöhe: 3957.87 km



Florida

Tampa

Cape Coral, FL

Miami

Baham


Google

© 2008 Europa Technologies
© 2008 Tele Atlas
Image NASA

26°41'20.48" N 80°53'54.01" W

Höhe 3 m

Sichthöhe 519.44 km



Southwest 38th Place

Southwest 39th Avenue

Southwest 39th Place

© 2008 Tele Atlas

Google

26°38'33.88" N 82°03'16.87" W

Höhe 0 m

Sichthöhe 228 m





Willkommen












MOTE


wo alles begann







*Arnold's New addition
to Mote's Dolphin and
Whale Hospital*

We have another pygmy sperm whale undergoing rehabilitation at our Hospital. Arnold is a pygmy calf found on Crystal Beach near Daytona on September 25. He arrived with pneumonia, was severely dehydrated and had other weight and fluid balance related problems. Since his arrival he has improved quite a bit and is gaining weight and able to swim on his own. Dr. Charles Morris, Mote Staff Veterinarian, feels strongly that what we learned from Arn has helped us help Arnold.







Seekühe (Arten)

SIRENIANS OF THE WORLD

ORDER: SIRENIA (Sea Cows)



Amazonian Manatee length 10'

West African Manatee length 10-12'

WEST INDIAN MANATEE

length 10-12'

Dugong length 8'-11'

Steller's Sea Cow length 24'-30' (EXTINCT)



Illustrated by:
Beverly Lee Manatee Club
1000 N. Manatee Ave.
Melbourne, FL 32901
386-832-9000
www.beverlyleemanateeclub.org

FAMILY: DUGONGIDAE (Dugongs)

- Dugong (*Dugong dugong*)**
 - Smooth skin
 - Notched tail fluke
 - Flippers have no nails
 - Found in the Indo-Pacific region in marine habitats
 - Harmed but food by some people

- Steller's Sea Cow (*Hydrodamalis gigas*)**
 - Dark, heavily wrinkled skin
 - Forkee tail fluke
 - Up to 30 feet long and weighed about 4 tons
 - Extinct
 - Formerly lived in Arctic waters of the Bering Sea
 - Extinct because of overhunting


FAMILY: TRICHECHIDAE (Manatees)

- West Indian Manatee (*Trichechus manatus*)**
 - Broad, paddle-shaped tail
 - Flippers have nails
 - Averages about 10 feet long and weighs between 800 and 1,200 pounds
 - Found in southeastern United States and Caribbean Sea as far as Pacific Brazil
 - Is salt, fresh, or brackish water


- Amazonian Manatee (*Trichechus inunguis*)**
 - Smooth skin
 - Flippers have no nails
 - Found in fresh waters of the Amazon River and its tributaries
 - Harmed but food by some people

- West African Manatee (*Trichechus senegalensis*)**
 - Similar skin
 - Flippers have no nails
 - Found in West African coastal waters
 - Very rarely is known about this species
 - Found in West African coastal waters

Unterscheidung




Dugongs



Manatees

Familie Dugongs



Dugong

- Grösse: 2.5 - 4.0 Meter
- Gewicht: 230-900 kg (Regel ca. 400 kg)
- Vorkommen: Indischer / Pazifischer Ozean



~~Steller's Sea Cow (ausgestorben 1768)~~

- ~~• Grösse: bis 9 Meter~~
- ~~• Gewicht: ca. 4'000 kg~~
- ~~• Vorkommen: Beringerstrasse~~




Familie Manatee



Amazonian Manatee

- Grösse: ca. 3 Meter
- Gewicht:
- Vorkommen: Amazonas (Brasilien)



West African Manatee

- Grösse: 3.0 – 4.0 Meter
- Gewicht: 700 kg – 1'200 kg
- Vorkommen: Westafrika





West Indian Manatee (Florida Manatee)


- Grösse: 3.0 – 4.0 Meter
- Gewicht: 700 kg – 1'200 kg
- Vorkommen: Südwesten USA / karibisches Meer




Anatomie



Anatomie



Anatomie








Copyright Frank-Udo Tiel



Gefahren (Umwelt)







qualvolles
Sterben






wir retten









wir forschen





Experience the Natural Magic of
**Sirenia Vista
Park**



Cape Coral
FLORIDA
Parks & Recreation

Come & See the Manatees!



**Why do manatees come to
Sirenia Vista Park?**

Particularly during cooler months when the temperature of the Gulf of Mexico drops below 68°F, endangered Florida manatees seek refuge from cold waters by swimming into Florida canals and other warmer waterways. The canals around Sirenia Vista Park offer the perfect destination.

As a non-captive manatee sanctuary, Sirenia Vista Park provides a winter haven for these warm-blooded native mammals that live, feed, and raise their young year round in the fresh, brackish or saltwater coastal areas of Florida.

Lucky park visitors can view adult manatees and their calves from the vantage point of an elevated platform located along the Bows Canal on the eastern side of the park, as well as from the Park's new boardwalk (Estimated completion Summer 2015)

Manatee Viewing Manners

- Observe manatees from a distance.
- Avoid personal contact with wild manatees.
- Do not feed manatees as it is illegal.
- Stash your trash; discard monofilament line, hooks & other trash properly.
- When boating, practice the no-wake procedure and stop if a manatee is in front of your boat.



Sirenia Vista Park

3916 Ceitus Parkway • Cape Coral, FL 33991
(Corner of Ceitus Pkwy & Old Burnt Store Rd)


Park Hours: Daily 8:00 a.m. - Sunset



For more information:
(239) 549-4606

www.CapeParks.com







Die Geschichte von meinem Pelikan



**DANKE FÜR
IHR
INTERESSE**

